




Roof Glazing



Aluminium Roof Glazing Systems

Engineered aluminium glazing and roofing systems developed for structural integrity, weather performance and long-term durability.

Our roof glazing systems have been designed to deliver performance, durability and a clean architectural finish. Manufactured from high tensile aluminium and long-lasting EPDM gaskets, our product range offers a complete modular system to cater for most roof types, including conservatories, canopies, covered walkways or bespoke glazing structures. Suitable for both commercial and residential environments.

Capex Glazing Bars

Capex glazing bars available in multiple widths and lengths for rafters.

Concealed fixings and compatible gaskets for consistent weathertight sealing.

Ankorglaze Glass Retention

Glass retention system for secure anchoring and optional condensation management.

Compatible with multiple glazing thicknesses.

Cresfinex Ridge Systems

Modular ridge systems for structural continuity and controlled weather protection at the apex.

Multiple configurations to suit roof pitches and aesthetic requirements.

Snap Down & Valley Systems

Snap Down bars and adjustable valley solutions for varying glazing thicknesses and roof geometries.

Gaskets & Sealing Components

EPDM and specialist gaskets for controlled compression and weather sealing.

Compatible across the Capex & Cresfinex range, built for long-term durability.

Aluminium
Hardened High Tensile to
BS 1474

EPDM
Rubber Gaskets to
BS 4255

Powder Coating
60-80 Micrometres to
BS 6496

Anodising
15-25 Micrometers to
BS 3987

Cellular EPDM
Rubber to
SS 243705A1, SS81813

PVC
Gaskets to
BS 7412

Tested to BS6375

A glazed roof section consisting of Capex, Cresfinex and components was tested by BSI to BS6375 Part 1 Classification for weathertightness.

Results

1. Air permeability: the roof met the requirements of Test Pressure Class 600 Pa given in BS6375 Part 1.
 2. Watertightness: the roof met the requirements of Test Pressure Class 300 Pa given in BS6375 Part 1.
- The roof was tested to 1000 Pa pressure with no leakage being recorded. Copy test report available upon request.

Please note Capex and Cresfinex is available in other powder coated finishes to order.


Contents

Capex 50 & 70	4
Capex 40 & 60	8
Capex & Cresfinex for Gable End Roofs	12
Cresfinex Ridges	13
Ankorglaze	14
Horizontal Glazing Bar	15
Capex Snap Down	16
Adjustable & Compact Valley	18
Additional Components	19
Capex & Cresfinex Components	20
Gaskets & Accessories	23



Capex 50, 70 & Cresfinex MK4 Ridge

- | | |
|--|---|
| A Full range of finials in aluminium or uPVC | I Horizontal glazing bar |
| B Cresfinex snap cover (when not fitting crests) | J Cresfinex bridgings 50 or 70 |
| C Full range of crests in aluminium or uPVC | K Hip bridgings 50 or 70 |
| D Aluminium Cresfinex wall end cap | L Extended end caps in aluminium or uPVC |
| E Capex wall flashing profile 50 or 70 | M Hip bar 70 |
| F Cresfinex MK4 ridge | N Hip jack cap 70 |
| G Ankorglaze with or without condensation control | O Cresfinex MK4 radius end cap |
| H Capex concealed fixing 50 or 70 | P Cresfinex cap end cap (when not fitting finials) |





Capex 50 for rafters up to 50mm

1.04.0560

1.04.0561 with RAG 45 Rafter Gasket

- Powder coated maintenance free glazing solution
- Suitable for single, double and triple glazed applications
- High quality EPDM gaskets provide reliable weather sealing
- Concealed fixings and gaskets for clean architectural finish
- In sizes 2.4, 3, 3.6, 4.8 & 6m
- Available in grey RAL 9023, white RAL 9010, brown RAL 8040 and mill finish





Capex 70 for rafters over 50mm

1.04.0750

1.04.0751 with RAG 55 Rafter Gasket

- Powder coated maintenance free glazing solution
- Suitable for single, double and triple glazed applications
- High quality EPDM gaskets provide reliable weather sealing
- Concealed fixings and gaskets for clean architectural finish
- In sizes 2.4, 3, 3.6, 4.8 & 6m
- Available in grey RAL 9023, white RAL 9010, brown RAL 8040 and mill finish




Capex 50 Gable End Finishing Profile (CGF 50)

1.04.0275

1.04.0276 with RAG 45 Rafter Gasket

- Powder coated maintenance free glazing solution
- Suitable for single, double and triple glazed applications
- High quality EPDM gaskets provide reliable weather sealing
- Concealed fixings and gaskets for clean architectural finish
- Creates a clean professional finish at the gable end
- In sizes 3 & 6m
- Available in grey RAL 9023, white RAL 9010, brown RAL 8040 and mill finish




Capex 70 Gable End Finishing Profile (CGF 70)

1.04.0277

1.04.0278 with RAG 55 Rafter Gasket

- Powder coated maintenance free glazing solution
- Suitable for single, double and triple glazed applications
- High quality EPDM gaskets provide reliable weather sealing
- Concealed fixings and gaskets for clean architectural finish
- Creates a clean professional finish at the gable end
- In sizes 3 & 6m
- Available in grey RAL 9023, white RAL 9010, brown RAL 8040 and mill finish



Capex Wall Flashing Profile (50/70)

1.04.0265

CWF 50

A

1.04.0266

CWF 50 with RAG 45 Rafter Gasket

1.04.0267


CWF 70

B

1.04.0268

CWF 70 with RAG 55 Rafter Gasket

- Powder coated maintenance free glazing solution
- Suitable for single, double and triple glazed applications
- High quality EPDM gaskets provide reliable weather sealing
- Concealed fixings and gaskets for clean architectural finish
- Creates a clean professional finish at the wall
- In sizes 3 & 6m
- Available in grey RAL 9023, white RAL 9010, brown RAL 8040 and mill finish




Hip Bar 70

1.04.0286

1.04.0287


with RAG 55
Rafter Gasket

- Powder coated maintenance free glazing solution
- Suitable for single, double and triple glazed applications
- High quality EPDM gaskets provide reliable weather sealing
- Concealed fixings and gaskets for clean architectural finish
- Works on roof pitches from 15° to 50°
- In sizes 2.4, 3, 3.6, 4.8 & 6m
- Available in grey RAL 9023, white RAL 9010, brown RAL 8040 & mill finish



Capex 40, 60 & CFX MK2 Ridge

- A** CFX cap end cap (when not fitting finials)
- B** CFX/M2 radius endcap
- C** Full range of finials in aluminium or uPVC
- D** CFX snap cover (when not fitting crests)
- E** Full range of crests in aluminium or uPVC
- F** Aluminium cresfinex wall endcap
- G** Capex wall flashing profile 40 or 60
- H** Ankorglaze with or without condensation control
- I** Capex 60 with H/V gasket
- J** Extended end cap in uPVC
- K** Jackcap 40 or 60
- L** Capex H/V bridging 40 or 60
- M** Capex 40 or 60
- N** CFX/M2 ridge
- O** CFX/BDG 40 or 60




Capex 40 for rafters up to 50mm

1.04.0500

1.04.0501 with RAG 45 Rafter Gasket

- Powder coated slim 40mm aluminium glazing bar provides a low profile maintenance free glazing solution
- Suitable for single, double and triple glazed applications
- High quality EPDM gaskets provide reliable weather sealing
- In sizes 2.4, 3, 3.6, 4.8 & 6m
- Available in white RAL 9010, brown RAL 8040, mill finish and grey RAL 9023




Capex 60 for rafters over 50mm

1.04.0600

1.04.0601 with RAG 55 Rafter Gasket

- Powder coated slim 60mm aluminium glazing bar provides a low profile maintenance free glazing solution
- Suitable for single, double and triple glazed applications
- High quality EPDM gaskets provide reliable weather sealing
- In sizes 2.4, 3, 3.6, 4.8 & 6m
- Available in white RAL 9010, brown RAL 8040, mill finish and grey RAL 9023





Capex 40 Gable End Finishing Profile (CGF 40)

1.04.0270

1.04.0271 with RAG 45 Rafter Gasket

- Powder coated slim 40mm aluminium glazing bar provides a low profile maintenance free glazing solution
- Suitable for single, double and triple glazed applications
- High quality EPDM gaskets provide reliable weather sealing
- Creates a clean professional finish at the gable end
- In sizes 3 & 6m
- Available in white RAL 9010, brown RAL 8040, mill finish and grey RAL 9023





Capex 60 Gable End Finishing Profile (CGF 60)

1.04.0273

1.04.0274 with RAG 55 Rafter Gasket

- Powder coated slim 60mm aluminium glazing bar provides a low profile maintenance free glazing solution
- Suitable for single, double and triple glazed applications
- High quality EPDM gaskets provide reliable weather sealing
- Creates a clean professional finish at the gable end
- In sizes 3 & 6m
- Available in white RAL 9010, brown RAL 8040, mill finish and grey RAL 9023



Capex Wall Flashing Profile (40/60)

1.04.0280

CWF 40 **A**

1.04.0281

CWF 40 with RAG 45 Rafter Gasket


1.04.0283

CWF 60 **B**

1.04.0284

CWF 60 with RAG 55 Rafter Gasket

- Powder coated slim A & B aluminium glazing bar provides a low profile maintenance free glazing solution
- Suitable for single, double and triple glazed applications
- High quality EPDM gaskets provide reliable weather sealing
- Creates a clean professional finish at the wall
- In sizes 3 & 6m
- Available in white RAL 9010, brown RAL 8040, mill finish and grey RAL 9023



Capex 60 with Hip & Valley Gasket

1.04.0602

A Capex 60

1.04.0605

with RAG 55 Rafter Gasket


B Hip & Valley Gasket

- Maintenance free glazing solution
- Purpose designed for hip and valley roof applications
- One gasket system for both hips and valleys
- For roof pitches 15° - 50°
- In sizes 2.4, 3, 4.8 & 6m
- Available in white RAL 9010, brown RAL 8040 and mill finish


1.09.0300

Hip & Valley Gasket


- In Size 30m
- Available in black



1 Capex 60 suitable for Hips




2 Capex 60 suitable for Valleys



Capex & Cresfinex for Gable End Roofs

- A** Full range of finials in aluminium or uPVC
- B** Cresfinex snap cover (when not fitting crests)
- C** Full range of crests in aluminium or uPVC
- D** Aluminium cresfinex wall end cap
- E** Capex wall flashing profile 50 or 70
- F** Ankorglaze with or without condensation control
- G** Extended end cap in aluminium or uPVC
- H** Capex 50 or 70 gable end flashing profile
- I** Cresfinex MK2 and MK4 gable end cap
- J** Cresfinex MK4 ridge
- K** Cresfinex/BDG 50 or 70
- L** Capex concealed fixing 50 or 70



Exitex Cresfinex Ridge Systems



Purpose designed ridge systems, developed to create a strong weatherproof ridge for glazed roofing systems. Suitable for polycarbonate and glass - single, double and triple glazed systems.

Cresfinex MK2 100mm ridge

1.05.0040

(Rafter Gasket
available separately)

- For roof pitches 15° - 35°
- For over 35° and up to 50° fit Hip & Valley gasket (available separately)
- In sizes 2.4, 3, 4.8 & 6m
- Available in grey RAL 9023, white RAL 9010, brown RAL 8040 and mill finish





Cresfinex MK2 175mm ridge

1.05.0060

(Rafter Gasket
available separately)

- For roof pitches 15° - 35°
- For over 35° and up to 50° fit Hip & Valley gasket (available separately)
- In sizes 2.4, 3, 4.8 & 6m
- Available in grey RAL 9023, white RAL 9010, brown RAL 8040 and mill finish





Cresfinex MK4 ridge

1.05.0400

(Rafter Gasket
available separately)

- A** For roof pitches 35° - 50° fit DGBS to internal groove
- B** For roof pitches 15° - 35° fit DGBS to external groove
- In sizes 2.4, 3, 4.8 & 6m
- Available in grey RAL 9023, white RAL 9010, brown RAL 8040 and mill finish



Ankorglaze for glass retention



Ankorglaze provides strong and secure glass retention. Eliminates the need for stepped glazing units. Available for 6.4mm, 16mm, 20mm, 25mm, 28mm, 32mm & 35mm double glazing units. In size 2.1m. Available in grey RAL 9023, white RAL 9010, brown RAL 8040 and mill finish.

Ankorglaze

- A** Roof sheeting endclosure
- B** Glazing anchoring profile

Ease of fitting

- 1** Set top of ring beam level with top of rafter
- 2** Fit glazing anchoring profile to ring beam between rafters
- 3** Cut roof sheeting end closure 10mm wider than glass





Ankorglaze with Condensation Control

- Provides condensation control in humid settings

- A** Roof sheeting endclosure
- B** Glazing anchoring profile

Ease of fitting

- 1** Set top of ring beam 10mm below top of rafter
- 2** Fit glazing anchoring profile to ring beam between rafters and install endcaps included
- 3** Cut roof sheeting end closure 10mm wider than glass
- 4** If drainage is required drill a 5mm hole in channel of glazing anchoring profile




Horizontal Glazing System

Designed to securely join glazing panels in glazed roof applications.

- Eliminates the need for longer glazing panels
- Slim neat low profile design
- Thermally broken
- In size 3m
- Available in grey RAL 9023, white RAL 9010, brown RAL 8040 & mill finish

- A** HGB
- B** Rafter
- C** Rafter gasket




Horizontal Glazing Bar for over transoms

1.04.0292 For double glazing 16mm - 24mm

1.04.0293 For double glazing 25mm - 32mm

- A** Soft Cushion Profile
- B** Thermal Break
- C** Transom




Self Supporting Horizontal Glazing Bar

1.04.0291 For double glazing 16mm - 24mm

1.04.0301 For double glazing 25mm - 32mm


- Self supporting up to 1m



Capex Snap Down

- A** F section
- B** Capex snap down upper uPVC
- C** Lean to flashing profile
- D** CSD bridging piece
- E** Extended end cap
- F** Roof sheeting end closure
- G** Capex Snap Down Gable End Finishing Profile



- Fast, simple and economical snap fit installation, suitable for multiple glazing thicknesses
- Available in white, brown and grey



Capex Snap Down 10-25

1.04.0700



- Fast and simple snap-fit installation
- Maintenance free uPVC top capping
- Compatible with multiple glazing thicknesses
- For glazing materials 10-25mm
- In sizes 2, 2.5, 3, 4, 5 & 6m
- Available in white, brown and grey RAL 7016



Capex Snap Down 25-32

1.04.0800



- Fast and simple snap-fit installation
- Maintenance free uPVC top capping
- Compatible with multiple glazing thicknesses
- For glazing materials 25-32mm
- In sizes 2, 2.5, 3, 4, 5 & 6m
- Available in white, brown and grey RAL 7016



Capex Snap Down Gable End Finishing Profile

1.04.0710

- Purpose designed Gable End Finishing Profile for a neat clean finish
- For glazing materials 10-25mm
- Fast and simple snap-fit installation
- Maintenance free uPVC top capping
- Compatible with multiple glazing thicknesses
- In sizes 2, 2.5, 3, 4, 5 & 6m
- Available in white, brown and grey RAL 7016




Adjustable Valley

- Fully adjustable valley design to accommodate varying roof pitches
- Provides excellent water drainage
- Suitable for double and triple glazed units and polycarbonate systems
- Available for 6.4mm laminate and 16mm, 20mm, 25mm, 28mm, 32mm & 35mm double glazing units
- In sizes 3m & 6m
- Available in white RAL 9010, brown RAL 8040 and mill finish

A Val A

B Val B




Compact Valley

- Fully adjustable valley design to accommodate varying roof pitches
- Provides excellent water drainage
- Suitable for 25mm double glazed units
- In sizes 3m & 6m
- Available in white RAL 9010, brown RAL 8040, mill finish and grey RAL 9023


A Val A

B Val B




PVC Roof Sheeting Endclosures (RSC)

- Provides a clean, professional roof edge finish
- Protects exposed sheet edges
- Compatible with multiple sheet profiles
- Available for 10mm, 16mm, 20mm, 25mm, 32mm & 35mm sheeting
- In size 2.1m
- Available in white, brown and grey RAL 7016



Aluminium Roof Sheeting Endclosures (RSC)

- Provides a clean, professional roof edge finish
- Protects exposed sheet edges
- Compatible with multiple sheet profiles
- Available for 6.4mm, 10mm, 16mm, 20mm, 25mm, 28mm, 32mm & 35mm glazing
- In size 2.1m
- Available in grey RAL 9023, white RAL 9010, brown RAL 8040 and mill finish



F Sections – Aluminium and PVC


- Provides a clean, professional roof edge finish
- Protects exposed sheet edges
- Compatible with multiple sheet profiles

Aluminium

- F Section for 8mm, 10mm, 16mm, 20mm, 25mm, 32mm & 35mm sheeting
- In sizes 3m, 4m, 5m, 6m
- Available in white RAL 9010, brown 8040, mill finish & grey RAL 7016

PVC


- In sizes 3m & 4m
- F Section for 10mm, 16mm & 25mm sheeting
- Available in white, brown and grey RAL 7016



Lean to Flashing Profile

1.04.0295

- Provides a clean weatherproof wall connection
- Supports multiple roof pitches
- Low maintenance solution
- For roof pitches 5° - 45°
- Suitable for Capex 40, 60, 50, 70 & Capex Snapdown
- In sizes 3m & 6m
- Available in grey RAL 9023, grey RAL 7016, white RAL 9010, brown RAL 8040 & mill finish



Cresfinex MK2 Radius Endcaps

1.05.0045

Cresfinex MK2 100
Radius Endcap


A

1.05.0065

Cresfinex MK2 175
Radius Endcap

B

- Available in grey RAL 9023, white RAL 9010, brown RAL 8040 and mill finish



Cresfinex MK2 & MK4 Gable Endcaps

1.05.0205

Cresfinex MK2 Gable Endcap


A

1.05.0203

Cresfinex MK4 Gable Endcap

B


- Available in grey RAL 9023, white RAL 9010, brown RAL 8040 and mill finish



CFX MK2/MK4 Aluminium Wall End Cap

1.05.0019


- Available in mill finish



CFX MK2 & MK4 Aluminium Cap End Cap (when not fitting finials)

1.05.0207


- Available in grey RAL 9023, white RAL 9010, brown RAL 8040 and mill finish



Cresfinex MK4 100 Radius Endcap

1.05.0430


- Available in grey RAL 9023, white RAL 9010, brown RAL 8040 & mill finish



Cresfinex MK4 140 Radius Endcap

1.05.0433

- Available in grey RAL 9023, white RAL 9010, brown RAL 8040 & mill finish



Aluminium Ball Finials

1.05.0380

80mm diameter Slide In Ball Finial


A

1.05.0385

125mm diameter Slide In Ball Finial

B

- Available in grey RAL 9023, white RAL 9010, brown RAL 8040 and mill finish



Bolt Down Aluminium Ball Finials

1.05.0375

80mm diameter Ball Finial


A

1.05.0370

125mm diameter Ball Finial

B

- Available in grey RAL 9023, white RAL 9010, brown RAL 8040, mill finish, grey and white



Aluminium & uPVC Finials

1.05.0201

Fleur de Lys Aluminium Finial

A


- Available in grey RAL 9023, white RAL 9010, brown RAL 8040 and mill finish

1.05.0015

CFX M2 Finial uPVC

B


- Available in white and brown



Aluminium Victorian Crest

1.05.0204

- Available in grey RAL 9023, white RAL 9010, brown RAL 8040 and mill finish



Aluminium Crests

1.05.0055

Antique Crests

A


- Available in white RAL 9010, brown RAL 8040 and mill finish

1.05.0200

Fleur De Lys Crest

B

- Available in grey RAL 9023, white RAL 9010, brown RAL 8040 and mill finish



uPVC Crest

1.05.0001

Antique crest

A

1.05.0006

Regency Crest 6"


B

1.05.0008

Regency Crest 8"

C

- Available in white and brown



Capex 40/60 uPVC Extended Endcaps

1.04.0570.0040

Capex 40 EEC


A

1.04.0570.0060

Capex 60 EEC

B

- Available in white and brown



Cresfinex 40 & 60 Bridgings

1.05.0031

Cresfinex Bridging 40


A

1.05.0032

Cresfinex Bridging 60

B

- Available in white and brown



Cresfinex 40 & 60 HV Bridgings

1.05.0551.0040

A

H/V Bridging 40mm for 20°-40°

1.05.0551.0060

A

H/V Bridging 60mm for 20°-40°

1.05.0550.4540

B


H/V Bridging 40mm for 45°-75°

1.05.0550.4560

B

H/V Bridging 60mm for 45°-75°

- Available in white and brown



Capex 50/70 Aluminium Extended Endcaps

1.04.0353

Capex 50mm Aluminium EEC


A

1.04.0354

Capex 70mm and Hip
Aluminium EEC

B

- Available in grey RAL 9023, white RAL 9010, brown RAL 8040 and mill finish



Cresfinex 50 & 70 Bridgings

1.05.0035

Cresfinex
Bridging 50

A

1.05.0036

Cresfinex
Bridging 70

B

- Available in white, brown and black Ref.A
- Available in Black Ref.B



Hip Bridgings 50&70 & Hip Jack Cap 70

1.05.0554

50mm Hip
Bridging

A

1.05.0555

70mm Hip
Bridging

B

1.05.0557

Hip Jack
Cap 70

C

- Available in black




Rafter Gasket 45mm

1.09.0045 RAG 45 A

1.09.0145 RAG 45 Groove Fit B

- In Size 100m
- Available in black




Rafter Gasket 55mm

1.09.0055 RAG 55 - 100m A

1.09.0155 RAG 55 Groove Fit - 50m B

1.01.0257 RAG 55 Twin Groove - 50m C

- Available in black




Push Fit Gaskets

1.09.0020 DGBS/AS 3 x 15 A

- In Sizes 150m & 300m
- For Capex & Cresfinex
- Available in black

1.09.0025 DGBS/RT 2 x 12 B

- In Size 400m
- For inside groove of flashing & finishing profiles
- Available in black



Elast-O-Sealant

1.18.0400

- Elast-O-Sealant is recommended for use with Capex & Cresfinex, can be applied to wet or dry surfaces, over painted and is compatible with Pilkington Activ™ Glass and lead
- Size 300ml
- Available in Clear



Expandex Foam


1.18.0490.6600.00

- Expands from 5-25mm, width 20mm, 5.6m



Polycarbonate Fixing Buttons

- For 10mm, 16mm, 20mm, 25mm & 32mm polycarbonate
- Available in packs of 10
- Available in white, brown, grey and clear





Exitex Limited

Dundalk, Ireland,
A91 HK29

+353 42 937 1244
info@exitex.com

exitex.com

